

# Wood Bioenergy US

Forisk Research Quarterly  
Q4 2017

A publication by Forisk Consulting that tracks, screens, and analyzes the wood bioenergy sector in the United States.


## Free Summary

### Number and Wood Use of Announced and Operating Projects, 2026

Region	Number of Projects by Type						Total	Total that pass screens	Wood Use of All Projects gtons	Wood Use of Projects that Pass Screens gtons
	Electricity	CHP	Thermal	Liquid Fuel	Pellet	Other				
North	47	26	9	15	86	0	183	139	31,525,468	25,918,868
South	29	21	9	14	82	2	157	88	64,287,229	38,455,329
West	35	20	1	4	39	3	102	71	16,429,632	12,868,282
Total	111	67	19	33	207	5	442	298	112,242,329	77,242,479

- **As of October 13, 2017, there were 442 projects in Forisk's Wood Bioenergy US database.** All announced and operating projects could use a total of 112.2 million green tons of wood per year by 2026. Projects that pass viability screens could consume 77.2 million tons of wood per year.
- Of the 157 projects announced and operating in the South, 88 pass viability screens. In the West, 71 of the 102 announced and operating projects pass viability screens. In the North, 139 of the 183 announced and operating wood bioenergy projects pass Forisk's viability screens.
- Regionally, the U.S. North still has the largest share (47%) of viable wood bioenergy projects while the South accounts for 50% of the potential wood use for bioenergy.

### Estimated Wood Use by Announced Facilities that Pass Screens



### Notes

- Estimated demand is wood use by all projects that pass the technology and status screens.
- Technology: if the technology is viable today, then the project passes the technology screen. Pelletizing technology and electricity are currently proven technologies that pass this screen. Cellulosic ethanol from wood feedstock is still a developing technology and is currently not operational. Torrefied biomass technology also does not pass the technology screen.
- Status: if the project has received/secured/signed two or more of the following then it passes the status screen: financing, air quality permits, Engineering Procurement and Construction contracts, off-take agreements, interconnection agreements for electricity facilities, and supply agreements.
- CHP is combined heat and power, or cogeneration. Thermal volumes are less than 1% of total volume in 2026.
- Assume 100% wood use unless feedstock mix is specified.
- If a project does not announce a startup date,

### Forisk Contact Information:

**Andrew Copley**  
Managing Editor  
acopley@forisk.com

**Amanda Lang**  
Publisher  
ahlang@forisk.com

Forisk Consulting, LLC • PO Box 5070, Athens, GA 30604 • Phone: 770.725.8447